


KWC

F5E - A3000 open

Electronic shower fitting for in-wall installation

Modell-Linie: **F5E** | **F5EV2007** | **2030068174** | EAN/GTIN: **7612982343070**
Showers | Electronic self closing shower



Article Number

2030068174

F5E - A3000 open straight-way valve DN 15 as finished installation kit for in-wall installation in basic installation kit, for shower facilities. Especially suitable for facilities at risk of vandalism. Electronically controlled, for connection to pre-mixed hot water or cold water. With waterproof electronic module and electric T-junction for connection to system cable, solenoid valve,

stainless steel cover plate 190 x 245 x 2 mm, mounting from the front with safety screws, including piezo push-button with start/stop function. Depth adjustability 25 mm. Activated hygiene flushing 24 hours after the last activity. With facility for parameterization, cleaning deactivation and communication via ECC2 function controller, 24 V DC.

Technical Data

with backflow preventer	true
Built-in fitting model	Finishing section
compatible A3000 open	true
Cover plate height	245 mm
Cover plate width	190 mm
default automatic hygiene flus	24h after the last activity
default flow time	30 Seconds
adjustable flow time	true
functional principle	electronic self-closing
hygiene flushing	true
Locking mechanism	Top section, non-ceramic
minimum flow pressure	1 bar
type of mixing	false
Parameterization	network
power supply connection	A3000 open 24 V DC
Type of power supply	Transformer
protective system IP	IP59K
with rosettes/cover plate	true
protective shutdown	true
shower pipe draining	false
sound insulation	false
surface finish fitting	chromed
with transformer/power supply	false



KWC

F5E - A3000 open

Electronic shower fitting for in-wall installation

Modell-Linie: **F5E** | **F5EV2007** | **2030068174** | EAN/GTIN: **7612982343070**
Showers | Electronic self closing shower

type of mounting	in-wall installation with box
type of operation	sensor operation
type of sensor	piezo-electronic sensor
type of shower	in-wall fitting
volume flow rate at 3 bar	0.46 l/s

Mandatory Accessories




ECC2 function controller

2000108123
ZA3OP0011




ECC2 function controller

2030016282
ZA3OP0022




System cable

2000100801
ZAQUA077




System cable

2000100852
ZAQUA078



System cable


2000104274
ZAQUA012



System cable

2000104272
ZAQUA011

Spare Parts



KWC

F5E - A3000 open

Electronic shower fitting for in-wall installation

Modell-Linie: F5E | F5EV2007 | 2030068174 | EAN/GTIN: 7612982343070
Showers | Electronic self closing shower

Solenoid valve

2000101328
ZAQUA032

Piezo Switch

2000104441
EAT300001

Electrical T junction

2000100853
ZAQUA075

Stainless steel care set

2000109019
ZWSPL0024



Cleaning product CHROMOL

2000105091
ZWSPL0023