
DELABIE | KWC Professional

KWC

Hybrid washbasin tap

Modell-Linie: F5L | F5LME005 | 3600008404 | EAN/GTIN: 7612987618456
Taps | Manual taps





Article Number

3600008404

F5LME hybrid washbasin tap DN 15 as pillar mixer with swivelling spout, can be locked in the centre position. Adjustable swivel ranges of 50°, 120° and 360°. For connection to hot water and cold water via hoses with strainers. Single lever mixer with mixer cartridge with ceramic disc technology and adjustable, turn-proof temperature stop. Alternative activation using hand reflection via an opto-electronic sensor for time-controlled water release with preset mixing water temperature. Mixer cartridge, solenoid valve and sensor with control electronics in all-metal housing, brushed stainless steel. Laminar jet controller with integrated flow rate controller (8.0 l/min). Projection 220 mm. Activated water hygiene flushing 24 hours after last activation, safety switch-off for continuous reflection and saving of statistical data. With option for parametrisation and communication via optional, bidirectional remote control. Optionally for battery operation with battery compartment including 6 V lithium battery (CR-P2) per fitting for installation under the kitchen sink or for separate power supply via 6.75 V/12 V DC power supply unit or AQUA 3000 open system accessories.

Battery compartment including battery or power supply unit with extension cable must be ordered separately.

Technical Data

depressurised	false
with filter	true
functional principle	manual
hygiene flushing	prepared
diameter nominal	DN 15
Locking mechanism	Top section, non-ceramic
material fitting	stainless steel
minimum flow pressure	1 bar
type of mixing	true
Pop-up waste set	false
with rosettes/cover plate	false
Spout	rotating, top
spout projection	175 mm
surface finish fitting	brushed
temperature limit	true
thermal disinfection	true
type of mounting	tap hole
type of operation	manual operation
type of tap	pillar tap
volume flow rate at 3 bar	0.13 l/s
water connection	hose (gland nut)

A3000 open COMPATIBLE

DELABIE | KWC Professional

KWC
Hybrid washbasin tap

Modell-Linie: F5L | F5LME005 | 3600008404 | EAN/GTIN: 7612987618456
Taps | Manual taps

Accent colour	none

Mandatory Accessories




For lithium batteries

3600002063
ACEX9023



Plug-in power supply unit

2030039477
ACEX9001



5-metre

2030043814
ACEX9010



Power supply

3600002062
ACEX9022



In-wall power supply

2030039825
ACEX9003

Optional Accessories



2-button remote control for fittings F3 and F5



PURETHERM under-table thermostat

2030012758



Remote control

2030036654

DELABIE | KWC Professional

KWC

Hybrid washbasin tap


Modell-Linie: F5L | F5LME005 | 3600008404 | EAN/GTIN: 7612987618456
Taps | Manual taps

2030036849
ACEX9004

PURE0031

ACEX9005

Spare Parts



Solenoid valve cartridge

2030045522
ACXX9002



Backflow preventer DN 6

2030045816
ASXX9002