

SANITARY FITTINGS
FOR PROJECTS
IN STAINLESS STEEL

WAGNER
EWAR

CONTENTS

PAGE 4 _GOOD TO KNOW

PAGE 28 _HAND CLEANING

PAGE 48 _HAND DRYING

PAGE 60 _COLLECTING WASTE

PAGE 74 _COMBINATIONS

PAGE 88 _TAPS

PAGE 92 _CUSTOM DESIGN

PAGE 96 _TOILET FITTINGS AND
ACCESSORIES

PAGE 114 _BARRIER-FREE LIVING

PAGE 122 _USEFUL INFORMATION

TYPICALLY WAGNER-EWAR

LOCATION

Wagner-EWAR has been developing and producing high quality stainless steel washroom products for commercial washrooms since 1974. We sell our products through independent sales agents within Germany and through exclusive importers worldwide.

STAINLESS STEEL

Wagner products are exclusively manufactured using high-quality nickel chromium steel, material number AISI 304 or higher quality. The visible surfaces are satin finished and in addition brushed. Stainless steel is the ideal material for durable and particularly hygienic products. It has a permanent antibacterial effect and can be disinfected – a crucial advantage over other materials.

QUALITY DEFINED

All individual parts are deburred by machine before assembly. For the A-Line, the housing edges are fully welded and attachment parts are fixed with virtually invisible spot welds. This ensures best possible hygiene and operating safety, also during maintenance.

EASY MOUNTING

Mounting is easy and time saving. Fixings are usually invisible and equipped with anti-theft protection; fixing materials are always supplied. For support rails and hinged support rails, suitable fixing kits can be ordered depending on the wall structure.

COST EFFICIENT

Many of our soap and paper towel dispensers are supplied already filled. And afterwards you can permanently save on maintenance costs because our products can be refilled with standard commercial consumables which are also available from us.

CONTINUOUS OPERATION

Timeless design, modular elements and long-term spare parts availability ensure trouble-free use over many years.



A-LINE

The A-Line can be used to equip virtually any commercial washroom or toilet. It is the most comprehensive product line with a timeless, straight style and high-quality workmanship. Fully welded folded edges and virtually invisible connections to attachment parts ensure best possible hygiene.



P-LINE

The design of the P-Line is characterised by vertically rounded housing edges. In contrast to the A-Line, the items are not fully welded but spot welded. The P-Line is suitable as standard equipment for washrooms and toilets in price-sensitive projects.

H-LINE

The H-Line is the entry into the small (home) office with EWAR. Minimalistic, straight style, hygienic. Available as a single device or as a kit, consisting of soap- and towel dispenser and waste bin. Particularly easy to assemble and perfectly adapted on each other.





CLEAR FUNCTIONAL SELF EXPLANATORY

PUBLIC WASHROOMS

At airports, stadiums, cinemas or universities and in other washrooms and toilets with changing visitors, we recommend robust, self-explanatory products in sizes that are adapted to the room dimensions. The focus is on anti-theft protection, low maintenance effort and best possible hygiene.

WA 100
see p. 90



WP 102
see p. 36



WP 1300
see p. 58



WP 183
see p. 66



COMBINATION EXAMPLE FOR PUBLIC WASHROOMS



ELEGANT REDUCED HIGH QUALITY

NON-PUBLIC WASHROOMS

In office and administration areas – places which are usually frequented by employees and not by the public – the focus is on the overall design of the washroom, but also on very reduced designs. Mounting behind mirrors and in the base units are possible solutions.

WP 195
see p. 47

WA 100
see p. 90

WP 166
see p. 57

WP 135
see p. 72

WP 197
see p. 71



COMBINATION EXAMPLE FOR NON-PUBLIC WASHROOMS



PERSONAL SPACE-SAVING COMPREHENSIVE

SMALL WASHROOMS

Design and functionality on a small footprint. Wagner supplies a wide range of products which – in practical combinations – can be integrated to save space without compromising on functionality.

WP 610
see p. 85

WA 195
see p. 47

WA 100
see p. 90



COMBINATION EXAMPLE FOR SMALL WASHROOMS



AESTHETIC ROBUST PRACTICAL

LARGE WASHROOMS

Highly frequented washrooms and toilets are equipped with several or larger units according to the room size. Space-saving solutions, such as mounting under tabletops or behind mirrors, are just as suitable as the use of combinations.

WA 100
see p. 90

WP 174
see p. 41

WP 176
see p. 56

WP 154
see p. 73

WP 198
see p. 69




COMBINATION EXAMPLE FOR LARGE WASHROOMS



CLASSIC FLEXIBLE DISTINCTIVE

SURFACE MOUNTING

Surface mounting keeps all options open: for placement of the units, for any changes or additions. This mounting type is particularly simple to implement for building renovations and with stainless steel products it offers the advantage of reflecting the colours of the surroundings, allowing good integration.



COMBINATION EXAMPLE FOR SURFACE MOUNTED UNITS



STYLISH SPACE-SAVING EASY CARE

FLUSH MOUNTING

The use of flush mounted units is particularly convenient for new buildings. The frame disappears entirely or partially in the wall, saving space and reducing the cleaning effort. The screw fixed housing front panels can simply be replaced after years of use.

WA 100
see p. 90



WP 208
see p. 37



WP 112
see p. 54



WP 147
see p. 66



COMBINATION EXAMPLE FOR FLUSH MOUNTED UNITS




INTEGRATED REDUCED INVISIBLE

MOUNTING IN CABINETS/ BEHIND MIRRORS

This allows the implementation of “invisible” or “reduced” solutions. On permanently mounted mirror front panels, soap or paper towels are refilled from underneath. Concealed mounting is recommended for non-public washrooms. The supplied self-adhesive pictograms indicate the position of the dispensers.



WP 197
see p. 71




WP 135
see p. 72



WA 100
see p. 90



WP 174
see p. 41



WP 176
see p. 56



WP 198
see p. 69



COMBINATION EXAMPLE FOR MOUNTING BEHIND MIRRORS AND IN CABINETS




INDIVIDUAL SPACE-SAVING COMPREHENSIVE

UNDER-COUNTER MOUNTING

Individually designed washbasins usually offer enough space for integrating our under counter models. This creates very elegant washbasin spaces. Optional wall or floor brackets also allow the units to be retrofitted.



WP 197
see p. 71



WP 166
see p. 57



WP 135
see p. 72



WA 195
see p. 47



WA 100
see p. 90



WP 520
see p. 82



COMBINATION EXAMPLE FOR UNDER-COUNTER MOUNTING



SAFE CERTIFIED COMPREHENSIVE

BARRIER-FREE LIVING

Our complete range for accessible washrooms offers the option of equipping all types of washrooms and toilets from one source. The range also includes extensive accessories.

A LARGE SELECTION OF PRODUCTS FOR ACCESSIBLE SPACES CAN BE FOUND FROM PAGE 114.



**LIQUID
SOAP DISPENSER**
A **WP 102**
 LINE 950 ml bottle

HAND CLEANING

_ MOUNTING TYPES	P. 30
_ GOOD TO KNOW	
WALL MOUNTED SOAP DISPENSERS	P. 32
TABLETOP SOAP DISPENSERS	P. 34
_ WALL MOUNTING	
A-LINE	P. 36
P-LINE AND H-LINE	P. 38
HAND CARE COMBINATIONS	P. 39
_ CABINET/MIRROR MOUNTING	
CABINET MOUNTING	P. 40
BEHIND MIRROR MOUNTING	P. 41
_ DISINFECTANT DISPENSERS	P. 42
_ TABLETOP SOAP DISPENSERS	
CHROME-PLATED BRASS	P. 46
STAINLESS STEEL	P. 47

ON THE WALL



P-LINE

Surface mounted models, manual or with sensor.



IN THE WALL




INSTALLATION

BEHIND CABINET/MIRROR

MOUNTING IN CABINET/BEHIND MIRROR

Virtually invisible dispensers for mounting behind the wall mirror or opening cabinet.



TABLETOP SOAP DISPENSERS

Close to the washbasin, matching the tap.



ON THE WASHBASIN

HIGHLY PRACTICAL

REALLY WIDE

opening of the soap dispensers makes refilling quick and easy. The dispensers, made of stainless steel material no. AISI 316L, are particularly corrosion-resistant and also easy to clean from the inside.



SOAP, FOAM OR HAND LOTION?

You can choose between disposable bottles or large containers for refillable tanks, regardless of the brand. This allows cost efficient operation of your washrooms in the long term.




CLEAN FILLING

PLUS POINTS

SENSOR DISPENSERS WITH EWAR® E-MODULE


are available as battery-powered or transformer-powered versions.



TOUCH LESS

PATENTED DRIP FREE SOAP PUMP

prevents soap residue on the edge of the washbasin or on the floor.



ONE HANDED



NO TOOLS

MODULAR DESIGN

Maintenance, conversion and replacement are as simple as refilling.

TALL


SHAPES



TOWERING
soap dispensers for tabletop bowls

LONG

LIFE



EASY MAINTENANCE

The seals and other wear parts can be simply replaced on the tabletop soap dispensers as well.



PLUS POINTS

TWO

FOLD



EASY REFILLING

conveniently from above by unscrewing the upper part of the dispenser, with anti-theft protection.

DOWN TOP



SOAP BOTTLES

for tabletop soap dispensers are available in three sizes, usually invisible and therefore made from plastic. A 500 ml stainless steel bottle is available for visible mounting.



**STAINLESS
STEEL OR
CHROME-PLATED**
depending on requirements or to match the tap.

UNDER COVER



LIQUID SOAP DISPENSER
LINE WP 107
200 ml tank



LIQUID SOAP DISPENSER
LINE WP 101
500 ml bottle



LIQUID SOAP DISPENSER
LINE WP 102
950 ml bottle



FOAM SOAP DISPENSER
LINE WP 103
400 ml bottle



LIQUID SOAP DISPENSER
LINE WP 105
1000 ml tank



LINE WP 101-1
700 ml tank



LINE WP 102-1
850 ml plug-in tank



LINE WP 106
1000 ml tank



SENSOR LIQUID SOAP DISPENSER
LINE WP 101e
500 ml bottle



SENSOR LIQUID SOAP DISPENSER
LINE WP 102e
950 ml bottle



LINE WP 102e-1
850 ml plug-in tank



SENSOR LIQUID SOAP DISPENSER
LINE WP 208e
950 ml bottle



LIQUID SOAP DISPENSER
LINE WP 208
950 ml bottle



LINE WP 208-5
400 ml bottle



Accessories for liquid soap dispensers

Receptacle
923137 for WP102/103
923138 for WP101
923139 for WP102e
923140 for WP101e

850 ml plug-in tank
937201

Compatible dispensers see table

3 V power supply unit for sensor soap dispenser
923060

surface

flush

A-Line

Sensor technology

At a glance	Liquid soap dispensers / foam soap dispensers / sensor liquid soap dispensers								At a glance	Liquid soap dispensers / foam soap dispensers / sensor liquid soap dispensers					
	WP 107	WP 101	WP 101-1	WP 102	WP 102-1	WP 101e	WP 102e	WP 102e-1		WP 103	WP 105	WP 106	WP 208e	WP 208	WP 208-5
Installation type	surface	surface	surface	surface	surface	surface	surface	surface	Installation type	surface	surface	flush	flush	flush	flush
Contactless						■	■	■	Contactless				■		
Capacity (ml)	200	500	700	950	850	500	950	850	Capacity (ml)	400	1000	1000	950	950	400
Container	tank	disp. bottle	tank	disp. bottle	plug-in tank	disp. bottle	disp. bottle	plug-in tank	Container	disp. bottle	tank	tank	disp. bottle	disp. bottle	disp. bottle
Optional plug-in tank		■		■		■	■		Optional plug-in tank				■	■	
Medium	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	Medium	foam soap concentrate	soap	soap	soap hand lotion	soap hand lotion	foam soap concentrate
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Fully welded housing	■	■	■	■	■	■	■	■	Fully welded housing	■	■	■	■	■	■
Cylinder lock	■	■	■	■	■	■	■	■	Cylinder lock	■	■	■	■	■	■
Width (mm)	70	70	70	80	80	85	85	85	Width (mm)	80	148	148	148	148	148
Height (mm)	170	270	270	298	298	257	298	298	Height (mm)	298	148	148	448	448	448
Depth (mm)	90	110	120	120	120	120	120	120	Depth (mm)	120	120	120	120	120	120
Weight (kg)	0.8	1.9	1.4	2.5	1.6	2.2	2.9	1.8	Weight (kg)	1.9	1.5	1.5	4.4	3.9	3.4
Incl. first fill		■		■		■	■		Incl. first fill	■			■	■	■



LIQUID SOAP DISPENSER
LINE H WH 2
200 ml tank
Not lockable



LIQUID SOAP DISPENSER
LINE P PP 107
200 ml tank


LINE P PP 17
200 ml tank
Not lockable



LIQUID SOAP DISPENSER
LINE P PP 101
700 ml tank



FOAM SOAP DISPENSER
LINE P PP 103
400 ml bottle



HAND CARE COMBINATION
LINE A WP 585
950 ml bottles

LINE A WP 585-7
950 ml bottle
950 ml tank



SENSOR HAND CARE COMBINATION
LINE A WP 585E
950 ml bottles

LINE A WP 585E-7
950 ml bottle
950 ml tank




Accessories for hand care combinations
850 ml plug-in tank 937201

3 V power supply unit for sensor hand care combination 923060

Accessories

Receptacle
923137 for PP102/103
923138 for PP101
923139 for PP102e-1

3 V power supply unit for sensor soap dispenser 923060



LIQUID SOAP DISPENSER
LINE P PP 102
1100 ml tank



FOAM SOAP DISPENSER
LINE P PP 103
400 ml bottle



HAND CARE COMBINATION
LINE A WP 575
950 ml bottles
950 ml tank




SENSOR HAND CARE COMBINATION
LINE A WP 575e
950 ml bottles
950 ml tank

- surface**
- A-Line**
- P-Line**
- H-Line**
- Sensor technology**

At a glance	Liquid soap dispensers / foam soap dispensers							At a glance	Hand care combinations					
	WH 2	PP 107	PP 17	PP 101	PP 103	PP 102	PP 102e-1		WP 585	WP 585-7	WP 585e	WP 585e-7	WP 575	WP 575e
Installation type	surface	surface	surface	surface	surface	surface	surface	Installation type	surface	surface	surface	surface	surface	surface
Contactless								Contactless			■	■		■
Capacity (ml)	200	200	200	700	400	1100	850	Capacity (ml)	2 x 950	2 x 950	2 x 950	2 x 950	3 x 950	3 x 950
Container	tank	tank	tank	tank	disp. bottle	tank	plug-in tank	Container	disposable bottles	disp. bottle/tank	disposable bottles	disp. bottle/tank	disp. bottle/tank	disp. bottle/tank
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion	foam soap concentrate	soap, hand lotion	soap, hand lotion	Medium	soap, hand lotion	soap, disinfectant	soap, hand lotion	soap, disinfectant	soap, hand lotion, disinfectant	soap, hand lotion, disinfectant
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Fully welded housing								Fully welded housing	■	■	■	■	■	■
Cylinder lock		■		■	■	■	■	Cylinder lock	■	■	■	■	■	■
Width (mm)	70	70	70	80	80	80	86	Width (mm)	218	218	218	218	298	298
Height (mm)	172	172	172	248	298	298	298	Height (mm)	298	298	298	298	298	298
Depth (mm)	90	90	90	120	120	120	120	Depth (mm)	121	121	121	121	121	121
Weight (kg)	1.3	0.8	0.7	1.2	1.8	1.4	1.8	Weight (kg)	4.4	3.4	5.1	4.0	5.3	6.2
Incl. first fill	■				■			Incl. first fill	■	■(soap)	■	■(soap)	■(soap, hand lotion)	■(soap, hand lotion)



LIQUID SOAP DISPENSER
 **WP 173**
950 ml bottle



LIQUID SOAP DISPENSER
 **WP 173-1**
200 ml tank



FOAM SOAP DISPENSER
 **WP 173-5**
400 ml bottle

Accessories for liquid soap dispensers

850 ml plug-in tank 937201

Compatible dispensers see table

3 V power supply unit for sensor soap dispenser 923060

soap pictogram AC 425
Adhesive



SENSOR LIQUID SOAP DISPENSER
 **WP 173e**
950 ml bottle



SENSOR LIQUID SOAP DISPENSER
 **WP 173e-1**
200 ml tank



LIQUID SOAP DISPENSER
 **WP 174**
200 ml tank



LIQUID SOAP DISPENSER
 **WP 174-2**
950 ml bottle



FOAM SOAP DISPENSER
 **WP 174-5**
400 ml bottle



SENSOR LIQUID SOAP DISPENSER
 **WP 174e**
200 ml tank



SENSOR LIQUID SOAP DISPENSER
 **WP 174e-2**
950 ml bottle



cabinet/mirror



A-Line



Sensor technology


At a glance	Liquid soap dispensers					At a glance	Liquid soap dispensers				
	WP 173	WP 173-1	WP 173-5	WP 173e	WP 173e-1		WP 174	WP 174-2	WP 174-5	WP 174e	WP 174e-2
Installation type	cabinet	cabinet	cabinet	cabinet	cabinet	Installation type	behind mirror	behind mirror	behind mirror	behind mirror	behind mirror
Filling	from above	from above	from above	from above	from above	Filling	from below	from below	from below	from below	from below
Contactless				■	■	Contactless				■	■
Capacity (ml)	500 / 850 / 950	200	400	500 / 850 / 950	200	Capacity (ml)	200	500 / 850 / 950	400	200	500 / 850 / 950
Container	disposable bottle	tank	disposable bottle	disposable bottle	tank	Container	tank	disposable bottle	disposable bottle	tank	disposable bottle
Optional plug-in tank 850 ml	■			■		Optional plug-in tank 850 ml	■	■			■
Medium	soap, hand lotion	soap, hand lotion	foam soap concentr.	soap, hand lotion	soap, hand lotion	Medium	soap, hand lotion	soap, hand lotion	foam soap concentr.	soap, hand lotion	soap, hand lotion
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Width (mm)	67	67	67	87	87	Width (mm)	69	91	69	86	86
Height (mm)	247 (221)	150	150	289 (251)	174	Height (mm)	153	301 (263)	230	207	287 (248)
Depth (mm)	97	88	120	130	120	Depth (mm)	104	98	127	148	148
Weight (kg)	1.5	0.5	1.0	1.8	0.8	Weight (kg)	0.6	1.6	1.1	0.9	1.9
Incl. first fill	■		■	■		Incl. first fill		■	■		■



DISINFECTANT DISPENSER
A LINE PP 101-7
700 ml tank



DISINFECTANT DISPENSER
P LINE PP 101-7
700 ml tank



SENSOR DISINFECTANT DISPENSER
A LINE WP 101E-7
700 ml tank



SENSOR DISINFECTANT DISPENSER
P LINE PP 101E-7
700 ml tank



DISINFECTANT DISPENSER
A LINE WP 102-7
950 ml tank



DISINFECTANT DISPENSER
P LINE PP 102-7
950 ml tank



SENSOR DISINFECTANT DISPENSER
A LINE WP 102E-7
950 ml tank



SENSOR DISINFECTANT DISPENSER
P LINE PP 102E-7
950 ml tank



HYGIENE STATION STAND MODEL
A LINE WP 102E-7S
950 ml tank (with accessories)



HYGIENE STATION STAND MODEL
P LINE PP 102E-7S
950 ml tank (with accessories)



HYGIENE STATION TABLE MODEL
A LINE WP 102E-7T
950 ml tank

surface

floor/table

A

LINE

A-Line

P

LINE

P-Line

Sensor technology

Accessories for hygiene stations

Receptacle
923133 for WP102e-7S
923136 for PP/102e-7S

Accessories for disinfectant dispensers

Receptacle
923138 for WP/PP101-7
923139 for WP/PP102e-7
923140 for WP/101e-7

3 V power supply unit for sensor disinfectant dispensers
923060


At a glance	Disinfectant dispensers								At a glance	Hygiene stations		
	WP 101-7	PP 101-7	WP 101e-7	PP 101e-7	WP 102-7	PP 102-7	WP 102e-7	PP 102e-7		WP 102e-7S	PP 102e-7S	WP 102e-7T
Installation type	surface	surface	surface	surface	surface	surface	surface	surface	Installation type	Floor installation	Floor installation	Table installation
Contactless			■	■			■	■	Contactless	■	■	■
Capacity (ml)	700	700	700	700	950	950	950	950	Capacity (ml)	950	950	950
Container	tank	tank	tank	tank	tank	tank	tank	tank	Container	tank	tank	tank
Medium	disinfectant	disinfectant	disinfectant	disinfectant	disinfectant	disinfectant	disinfectant	disinfectant	Medium	disinfectant	disinfectant	disinfectant
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L
Fully welded housing	■		■		■		■		Fully welded housing	■		■
Cylinder lock	■	■	■	■	■	■	■	■	Cylinder lock	■	■	■
Width (mm)	70	80	85	86	80	80	85	86	Width (mm)	380	380	300
Height (mm)	270	248	257	257	298	298	298	298	Height (mm)	1350	1350	500
Depth (mm)	120	120	120	120	120	120	120	120	Depth (mm)	380	380	300
Weight (kg)	1.4	1.2	1.7	1.8	1.6	1.3	1.8	1.8	Weight (kg)	10.2	10.1	5.7
Incl. first fill									Incl. first fill			



DISINFECTANT DISPENSER
 **WP 208-7**
950 ml tank




SENSOR DISINFECTANT DISPENSER
 **WP 208E-7**
950 ml tank



DISINFECTANT DISPENSER
 **WP 121**
1000 ml bottle,
(with accessories)



DISINFECTANT DISPENSER
 **WP 120**
500 ml bottle



GLOVE DISPENSER
 **WP 123**



DISINFECTANT DISPENSER
 **WP 173-7**
950 ml tank



SENSOR DISINFECTANT DISPENSER
 **WP 173E-7**
950 ml tank



DISINFECTANT DISPENSER
 **WP 174-7**
950 ml tank



SENSOR DISINFECTANT DISPENSER
 **WP 174E-7**
950 ml tank



Accessories for disinfectant dispensers

stainless steel cover, lockable
727132 for WP 120
727133 for WP 121

drip tray
727130 for WP 120
727131 for WP 121

3 V power supply unit for sensor disinfectant dispensers
923060

-  cabinet/mirror
-  surface
-  flush
-  A-Line
-  Sensor technology

At a glance	Disinfectant dispensers				Glove dispenser
	WP 208-7	WP 208e-7	WP 121	WP 120	WP 123
Installation type	flush	flush	surface	surface	surface
Contactless		■			
Capacity (ml)	950	950	1000	500	1 box
Container	tank	tank	disposable bottle	disposable bottle	
Medium	disinfectant	disinfectant	soap, hand lotion, disinfectant	soap, hand lotion, disinfectant	disposable gloves
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 304	AISI 304	AISI 304
Fully welded housing	■	■			
Cylinder lock	■	■	optional	optional	
Width (mm)	148	148	92	80	250
Height (mm)	448	448	290	245	138
Depth (mm)	120	121	225	220	88
Weight (kg)	3.0	3.4	1.2	1.0	1.1
Incl. first fill					

At a glance	Disinfectant dispensers			
	WP 173-7	WP 173e-7	WP 174-7	WP 174e-7
Installation type	cabinet	cabinet	behind mirror	behind mirror
Contactless		■		■
Capacity (ml)	950	950	950	950
Container	tank	tank	tank	tank
Medium	disinfectant	disinfectant	disinfectant	disinfectant
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Fully welded housing				
Cylinder lock				
Width (mm)	71	87	71	86
Height (mm)	229	248	230	242
Depth (mm)	110	120	121	150
Weight (kg)	0.5	1.1	0.7	1.3
Incl. first fill				



TABLETOP SOAP DISPENSER
WP 190
chrome-plated brass



TABLETOP SOAP DISPENSER
WP 191-1
chrome-plated brass

TABLETOP SOAP DISPENSER
WP 191-KIDS
chrome-plated brass



TABLETOP SOAP DISPENSER
WP 192-1
chrome-plated brass



TABLETOP SOAP DISPENSER
WP 193
chrome-plated brass



TABLETOP SOAP DISPENSER
WP 189-1
chrome-plated brass



TABLETOP DISINFECTANT DISPENSER
WP 122-1
chrome-plated brass




TABLETOP SOAP DISPENSER
WP 195-10
stainless steel



TABLETOP DISINFECTANT DISPENSER
WP 122-3
stainless steel



TABLETOP SOAP DISPENSER
WP 192-3
stainless steel



TABLETOP SOAP DISPENSER
WP 191-3
stainless steel



TABLETOP SOAP DISPENSER
WP 195
stainless steel



TABLETOP SOAP DISPENSER
WP 189-3
stainless steel



WALL SOAP DISPENSER
WP 194
stainless steel

 flush

 under-counter

 A-Line

At a glance								At a glance							
Tabletop soap and disinfectant dispensers in chrome-plated brass								Tabletop and panel-mounted soap dispensers, disinfectant dispensers in stainless steel							
	WP 190	WP 191-1	WP 191-Kids	WP 193	WP 189-1	WP 192-1	WP 122-1		WP 195-10	WP 191-3	WP 195	WP 122-3	WP 192-3	WP 189-3	WP 194
Installation type	washbasin	washbasin	washbasin	washbasin	washbasin	washbasin	washbasin	Installation type	washbasin	washbasin	washbasin	washbasin	washbasin	washbasin	panel
Filling	from above	from above	from above	from above	from above	from above	from above	Filling	from above	from above	from above	from above	from above	from above	centrally
Capacity (ml)	500	500	500	500	500	500	500	Capacity (ml)	500	500	500	500	500	500	central tank
Container	bottle	bottle	bottle	bottle	bottle	bottle	bottle	Container	bottle	bottle	bottle	bottle	bottle	bottle	tank
Medium	soap	soap	soap	soap	soap	soap	disinfectant	Medium	soap	soap	soap	disinfectant	soap	soap	soap
Material	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	chrome-plated brass	Material	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L
Optional 250 ml / 1000 ml bottle	■	■	■	■	■	■	■	Optional 250 ml / 1000 ml bottle		■		■	■	■	
Optional 500 ml stainless steel bottle	■	■	■	■	■	■	■	Optional 500 ml stainless steel bottle		■		■	■	■	
Lockable				■	■			Lockable						■	
Width (mm)	40	38	38	45	32	38	30	Width (mm)	30	38	30	30	38	32	38
Height (mm)	63	62	62	82	111	208	86	Height (mm)	274	62	125	86	208	111	38
Depth (mm)	130	109	109	153	103	149	110	Depth (mm)	105	109	105	110	149	103	124
Projection (mm)	62	74	74	111	66	111	76	Projection (mm)	75	74	75	76	111	66	80
Weight (kg)	0.9	0.8	0.8	1.3	1.2	1.6	0.6	Weight (kg)	1.6	0.8	1.0	0.7	1.7	1.3	0.7



PAPER TOWEL DISPENSER

A LINE **WP 113**
approx. 500
paper towels

HAND DRYING

_ MOUNTING TYPES	P. 50
_ GOOD TO KNOW	P. 52
_ WALL MOUNTING	
A-LINE	P. 54
P-LINE, H-LINE	P. 55
_ CABINET MOUNTING	
MOUNTING BEHIND MIRRORS	P. 56
_ WALL MOUNTING	
TOWEL RAIL	P. 56
TISSUE DISPENSER	P. 57
_ UNDER-COUNTER MOUNTING	P. 57
_ WALL MOUNTING	
HOT AIR HAND DRYER	P. 58
ELECTR. PAPER ROLL DISPENSERS	P. 58

ON THE WALL



INSTALLATION

IN THE WALL



MOUNTING BEHIND MIRRORS

The WP 176 for refilling from below.

CABINET MOUNTING

The WP 175 for installation behind any opening front panel.

BEHIND CABINET/MIRROR

UNDER-COUNTER MOUNTING

Paper dispensing from the front or top, directly integrated into the washbasin.

IN THE WASHBASIN

FALL PROTECTION



PANEL RETAINERS

open the front panel only wide enough to allow refilling, or fully if required.

SIZE MATTERS



YOUR CHOICE

of paper. No specific brand is required for refilling. Only the folded paper size has to match.

ON AND ON



EASY PAPER DISPENSING

thanks to the outward embossed opening.

PLUS POINTS

HYGIENE ECONOMICAL

SENSOR PAPER ROLL DISPENSERS

are particularly hygienic and economical to use.



MODULAR DESIGN

All electrical/mechanical and electronic components of the units are installed in such a way that they can be quickly and easily repaired by replacing them.



SINGLE KEY CYLINDER LOCKS

ensure that the paper stays where it belongs. If you do not want a lock, choose the PP13.



EASY SERVICE

SAFELY STORED



PAPER TOWEL DISPENSER
WP 113
approx. 500 paper towels



PAPER TOWEL DISPENSER
WP 111
approx. 750 paper towels



PAPER TOWEL DISPENSER
WP 114
approx. 250 paper towels



PAPER TOWEL DISPENSER
WP 112
approx. 500 paper towels



PAPER TOWEL DISPENSER
PP 108
approx. 250 paper towels



PAPER TOWEL DISPENSER
PP 113
approx. 500 paper towels



PAPER TOWEL DISPENSER
PP 115
approx. 500 paper towels



PAPER TOWEL DISPENSER
PP 111
approx. 750 paper towels



PAPER TOWEL DISPENSER
PP 13
open, approx. 500 paper towels



PAPER TOWEL DISPENSER
WH 5
open, approx. 300 paper towels

**surface**


**flush**

**A-Line**

**P-Line**

**H-Line**

At a glance	Paper towel dispensers				At a glance	Paper towel dispensers					
	WP 113	WP 111	WP 114	WP 112		PP 108	PP 113	PP 115	PP 111	PP 13	WH 5
Installation type	surface	surface	flush	flush	Installation type	surface	surface	surface	surface	surface	surface
Fill quantity approx. (sheets)	500	750	250	500	Fill quantity approx. (sheets)	250	500	500 (narrow)	750	500	300
Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	22 x 8.5 cm, V/Z/W	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z
Deep-drawn paper dispensing	■	■	■	■	Deep-drawn paper dispensing						
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	Cylinder lock	■	■	■	■		
Width (mm)	298	298	298	298	Width (mm)	265	265	230	265	298	260
Height (mm)	298	448	298	448	Height (mm)	172	298	298	448	298	225
Depth (mm)	120	120	120	120	Depth (mm)	120	120	90	120	120	120
Weight (kg)	3.1	4.1	3.4	4.5	Weight (kg)	2.1	2.8	2.2	3.5	3.3	3.3
Incl. first fill	■	■	■	■	Incl. first fill						■



PAPER TOWEL DISPENSER

 **WP 175**
approx. 500
paper towels



PAPER TOWEL DISPENSER

 **WP 176**
approx. 500
paper towels



PAPER TOWEL DISPENSER
WITH DRAWER

 **WP 176-1**
approx. 500
paper towels



PAPER TOWEL DISPENSER

 **WP 165**
approx. 250
paper towels



PAPER TOWEL DISPENSER

 **WP 166**
approx. 250
paper towels



PAPER TOWEL DISPENSER

 **WP 170**
approx. 500
paper towels



TOWEL RAIL

 **AC 230**
width 300 mm


 **AC 231**
width 450 mm

 **AC 232**
width 600 mm



PAPER TOWEL DISPENSER

 **WP 117**
approx. 250
paper towels



TISSUE DISPENSER

 **WP 118**
1 Kleenex® box

Accessories

paper pictogram
AC 426
Adhesive



-  surface
-  cabinet/mirror
-  under-counter
-  A-Line

At a glance	Paper towel dispensers			Towel rails			At a glance	Paper towel dispensers				Tissue dispenser
	WP 175	WP 176	WP 176-1	AC 230	AC 231	AC 232		WP 165	WP 166	WP 170	WP 117	WP 118
Installation type	cabinet	behind mirror	behind mirror	surface	surface	surface	Installation type	washbasin front	washbasin front	washbasin front	washbasin top	surface
Filling	from above	from below	from front (drawer)				Filling	from front (flap)	from front (flap)	from front (drawer)	from above	folding panel
Fill quantity approx. (sheets)	500	500	500				Fill quantity approx. (sheets)	250	250	500	250	1 Kleenex® box
Folded paper size approx./folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z				Folded paper size approx./folding	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z	25x11.5 cm, C/V/Z	
Deep-drawn paper dispensing		■	■				Deep-drawn paper dispensing	■	■	■		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing		■	■				Fully welded housing	■	■	■		
Cylinder lock			■				Cylinder lock	■	■	■		
Width (mm)	298	298	298	300	450	600	Width (mm)	326	298	298	200	269
Height (mm)	298	360	385	58	58	58	Height (mm)	173	148	148	300	122.5
Depth (mm)	121	120	135	40	40	40	Depth (mm)	164	164	310	185	76
Weight (kg)	2.4	4.1	6.0	0.4	0.6	0.7	Weight (kg)	3.2	3.1	5.7	3.8	1.5
Incl. first fill	■	■	■				Incl. first fill	■	■	■	■	



HOT AIR HAND DRYER

- **WP 1100**
2000 Watt
- 
- **WP 1200**
2000 Watt
- 



ELECTRONIC TOUCH-FREE
PAPER ROLL DISPENSER

- **WP 1300**
transformer powered
- 
- **WP 1301**
battery powered
- 
- **WP 1310**
transformer powered
- 
- **WP 1311**
battery powered
- 



ELECTRONIC TOUCH-FREE
PAPER ROLL DISPENSER
WITH RESERVE ROLL

- **WP 1400**
transformer powered
- 
- **WP 1401**
battery powered
- 
- **WP 1410**
transformer powered
- 
- **WP 1411**
battery powered
- 

-  surface
-  flush
-  A-Line
-  Sensor technology

At a glance	Hot air hand dryers	
	WP 1100	WP 1200
Installation type	surface	flush
Contactless	■	■
Connected load	2000 W	2000 W
SEV	■	■
Drying time	<30 s	<30 s
Relat. noise output	low	low
Stainless steel mat.no.	AISI 304	AISI 304
Fully welded housing	■	■
Width (mm)	298	298
Height (mm)	396	396
Depth (mm)	150	150
Weight (kg)	6.9	6.9

At a glance	Electronic touch-free paper roll dispenser			
	WP 1300	WP 1301	WP 1310	WP 1311
Installation type	surface	surface	flush	flush
Contactless	■	■	■	■
Connection	230 V / 50 Hz	4x1.5 V batteries	230 V / 50 Hz	4x1.5 V batteries
TÜV/GS	■		■	
Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm
Reserve roll				
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing	■	■	■	■
Cylinder lock	■	■	■	■
Width (mm)	350	350	350	350
Height (mm)	448	448	448	448
Depth (mm)	210	210	210	210
Weight (kg)	10.0	10.0	10.0	10.0
Incl. first fill	■	■	■	■

At a glance	Electronic touch-free paper roll dispenser			
	WP 1400	WP 1401	WP 1410	WP 1411
Installation type	surface	surface	flush	flush
Contactless	■	■	■	■
Connection	230 V / 50 Hz	4x1.5 V batteries	230 V / 50 Hz	4x1.5 V batteries
TÜV/GS	■		■	
Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm
Reserve roll	■	■	■	■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing	■	■	■	■
Cylinder lock	■	■	■	■
Width (mm)	350	350	350	350
Height (mm)	580	580	580	580
Depth (mm)	210	210	210	210
Weight (kg)	11.0	11.0	11.0	11.0
Incl. first fill	■	■	■	■



WASTE BIN


A **WP 133**
LINE 12 litres

COLLECTING WASTE

_ MOUNTING TYPES	P. 62
_ GOOD TO KNOW	P. 64
_ WALL MOUNTING, TOP OPEN	
A-LINE	P. 66
P-LINE, H-LINE	P. 67
_ WALL MOUNTING	
FREE STANDING ON FLOOR, CLOSED	
A-LINE	P. 68
_ UNDER-COUNTER MOUNTING	
A-LINE	P. 69
_ WALL MOUNTING	
FREE STANDING ON FLOOR	
WASTE BASKETS A-LINE, P-LINE	P. 70
_ UNDER-COUNTER MOUNTING, FLAPS AND RINGS	
FRONT OPERATION	P. 72
TOP OPERATION	P. 73

ION

THE WALL



UNDER

COUNTER



INSTALLATION



IN


THE WALL



BAG LESS

FABRIC STANDBAGS

made of tearproof, washable, fibre-reinforced material.
Easy to empty by removing the bag – no bin bags required.



WASTE BINS

are suitable for wall mounting, floor placement
or integration into washbasins. Fixing is invisible
thanks to eyelets in the second grid row. Available
in stainless steel, chrome-plated or plastic-coated.

MULTI

FUNCTIONAL

PLUS POINTS

WELL CONCEALED


DEPOSIT FLAPS

let waste disappear from sight.



SAFETY

for users and service personnel. All components are
deburred inside and outside.



FINE WORK

ALL-ROUNDERS

are the WP 133 (surface mounted) and the
WP 134 (flush mounted) with self-closing, fire-
retardant deposit flaps. The matching hygiene
insert turns these into hygiene waste bins.



MULTI

PURPOSE



At a glance	Waste bins, open top				At a glance	Waste bins, open top			
	WP 126	WP 152	WP 183	WP 147		WH 15	PP 126	PP 152	PP 182
Installation type	surface	surface	surface/floor	flush	Installation type	surface	surface	surface/floor	surface/floor
Capacity (litres)	23	34	60	32	Capacity (litres)	15	23	34	45
Features	Fabric standbag	Fabric standbag	Fabric standbag	Waste basket	Features		Fabric standbag	Fabric standbag	Fabric standbag
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Width (mm)	298	298	400	298	Width (mm)	260	298	298	298
Height (mm)	448	598	600	898	Height (mm)	400	448	598	598
Depth (mm)	170	190	250	220	Depth (mm)	150	170	190	250
Weight (kg)	3.8	5.6	7.4	11.5	Weight (kg)	2.8	3.0	3.4	3.6

Accessories

WP 18

plastic hygiene bin

- For WP 180

- For WP 181

WP 33

plastic hygiene bin

- For WP 133

WP 34

plastic hygiene bin

- For WP 134



WASTE BIN

 **WP 181**
36 litres

WASTE BIN

 **WP 180**
36 litres



WASTE BIN

 **WP 134**
11 litres

WASTE BIN

 **WP 133**
12 litres

WASTE BIN

 **WP 131**
16 litres



WASTE BIN

 **WP 139**
18 litres

WASTE BIN

 **WP 188**
40 litres

WASTE BIN

 **WP 198**
43 litres

 surface

 flush

 washbasin

 A-Line

At a glance	Waste bins with deposit flap					At a glance	Waste bins for washbasin mounting		
	WP 181	WP 180	WP 134	WP 133	WP 131		WP 139	WP 188	WP 198
Installation type	surface/floor	surface/floor	flush	surface	surface	Installation type	washbasin	washbasin	washbasin
Capacity (litres)	36	36	11	12	16	Capacity (litres)	18	40	43
Fire-retardant deposit flap		top	front	front	front	Fire-retardant deposit flap	front	as an option	as an option
Waste bin	■	■	■	■	■	Waste bin	■		■
Plastic hygiene bin	opt. WP 18	opt. WP 18	opt. WP 34	opt. WP 33		Plastic hygiene bin			
Cylinder lock	■	■	■	■	■	Cylinder lock	■		■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304
Fully welded housing	■	■	■	■	■	Fully welded housing	■	■	■
Width (mm)	298	298	298	298	448	Width (mm)	298	298	298
Height (mm)	598	598	598	598	598	Height (mm)	448	448	450
Depth (mm)	308	308	120	140	120	Depth (mm)	310	300	510
Weight (kg)	9.4	10.9	5.6	5.9	7.9	Weight (kg)	7.1	6.1	8.7




WASTE BASKET

  **WP 151**
48 litres
chrome-plated

  **WP 151-1**
48 litres
stainless steel

  **WP 151-2**
48 litres
plastic coated



WASTE BASKET

  **WP 150**
72 litres
chrome-plated


  **WP 150-1**
72 litres
stainless steel

  **WP 150-2**
72 litres
plastic coated




WASTE BASKET

  **WP 201**
35 litres
chrome-plated



WASTE BASKET

  **WP 197**
44 litres
chrome-plated



WASTE BASKET

  **WP 196**
52.5 litres
chrome-plated



WASTE BASKET

  **PP 151**
60 litres
stainless steel

-  surface
-  washbasin
-  A-Line
-  P-Line

At a glance	Waste bins						At a glance	Waste bins			
	WP 151	WP 151-1	WP 151-2	WP 150	WP 150-1	WP 150-2		WP 201	WP 197	WP 196	PP 151
Installation type	surface/floor	surface/floor	surface/floor	surface/floor	surface/floor	surface/floor	Installation type	surface/ under-counter	surface/ under-counter	surface/ under-counter	surface/floor
Capacity (litres)	48	48	48	72	72	72	Capacity (litres)	35	44	52.5	60
Surface	chrome-plated	stainless steel	plastic coated	chrome-plated	stainless steel	plastic coated	Surface	chrome-plated	chrome-plated	chrome-plated	stainless steel
Wall fixing eyelet in 2nd grid row	■	■	■	■	■	■	Wall fixing eyelet in 2nd grid row	■	■	■	■
Width (mm)	400	400	400	400	400	400	Width (mm)	350	350	350	400
Height (mm)	600	600	600	600	600	600	Height (mm)	400	500	600	600
Depth (mm)	200	200	200	300	300	300	Depth (mm)	250	250	250	250
Weight (kg)	1.0	1.0	1.1	1.3	1.3	1.4	Weight (kg)	0.9	0.9	1.0	2.8



At a glance	Waste deposits									
	WP 130	WP 135	WP 136	WP 146-1	WP 159-1	WP 158-1	WP 154	WP 154-1	WP 145	WP 159
Installation type	washbasin front	washbasin front	washbasin front	washbasin front	washbasin front	washbasin top	washbasin top	washbasin top	washbasin top	washbasin top
Self-closing	■	■	■			■	■	■		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Width (mm)/diameter	173	298	326	298	Ø 150	170	170	300	170	Ø 150
Height (mm)	173	148	173	148		170	235	235	170	
Depth (mm)	32	32	32	20	20	30	30	30	100	100
Weight (kg)	0.6	1.0	1.1	0.4	0.2	0.9	0.9	1.6	0.7	0.4



COMBINATION



WP 535

COMBI-NATIONS

_ MOUNTING TYPES	P. 76
_ GOOD TO KNOW	P. 78
_ WALL MOUNTING (SOAP, PAPER, WASTE)	P. 80
_ WASHBASIN MOUNTING (PAPER, WASTE)	P. 82
_ WALL MOUNTING (PAPER, WASTE)	P. 83
_ WALL MOUNTING (SOAP, PAPER) MIRROR CABINETS AND MIRRORS	P. 86

**SURFACE
MOUNTING**
Flexible and quick mounting.



**FLUSH
MOUNTING**

Elegant and requires less cleaning. The models WP 610 and WP 612 can be installed flush with tiles.



INSTALLATION

UNDER
THE WASHBASIN

**UNDER-COUNTER
MOUNTING**
for the space underneath the open washbasin.



PLUS POINTS

SPACE- SAVING

ALL
INCLUSIVE



**WASTE
BASKET**
included with all combinations.



COMBINATIONS
save space and installation time and look attractive!



FIRST FILL
is included with soap and/or paper towel dispensers.

**READY
TO GO**



**MODULAR
DESIGN**
Each wear part and the housing
front can easily be replaced.

**RETAIN
VALUES**

COMBINATION

 **WP 500e** 
sensor
soap dispenser

 **WP 510e** 
sensor
soap dispenser



COMBINATION

 **WP 500**
soap dispenser

 **WP 500-5**
foam soap
dispenser

 **WP 510**
soap dispenser

 **WP 510-5**
foam soap
dispenser



Accessories

plastic hygiene bin
WP 34

850 ml plug-in tank
937201

Compatible dispensers see table

3 V power supply unit for
sensor soap dispenser
923060

-  surface
-  flush
-  A-Line
-  Sensor technology

At a glance	Combinations (soap, paper, waste)					
	WP 500e	WP 510e	WP 500	WP 500-5	WP 510	WP 510-5
Installation type	flush	surface	flush	flush	surface	surface
Contactless soap dispenser	■	■				
Capacity (ml)	950	950	950	400	950	400
Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle
Optional plug-in tank 850 ml	■	■	■		■	
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	foam soap concentrate	soap, hand lotion	foam soap concentrate
Fill quantity paper towels approx. (sheets)	250	250	250	250	250	250
Folded paper size, approx., folding	25 x 11.5 cm, V / Z	25 x 11.5 cm, V / Z	25 x 11.5 cm, V / Z	25 x 11.5 cm, V / Z	25 x 11.5 cm, V / Z	25 x 11.5 cm, V / Z
Capacity of waste basket (litres)	11	11	11	11	11	11
Optional plastic sanitary bin	■	■	■	■	■	■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	■	■
Width (mm)	298	298	298	298	298	298
Height (mm)	1348	1348	1348	1348	1348	1348
Depth (mm)	120	120	120	120	120	120
Weight (kg)	14.8	14.8	14.6	14.0	14.6	14.0
Incl. first fill	■	■	■	■	■	■



Accessories

Wall console
727652

COMBINATION

 **WP 511**

COMBINATION

 **WP 520**

COMBINATION

 **WP 5455**
transformer powered

 **WP 5456**
battery powered


 **WP 5450**
transformer powered


 **WP 5451**
battery powered

-  **surface**
-  **flush**
-  **washbasin**
-  **A-Line**
-  **Sensor technology**

At a glance	Combinations (paper, waste)	
	WP 511	WP 520
Installation type	washbasin/surface	washbasin
Fill quantity paper towels approx. (sheets)	250	500
Folded paper size, approx., folding	25 x 11.5 cm, C/V/Z	25 x 11.5 cm, C/V/Z
Capacity of waste basket (litres)	11	18
Fire-retardant deposit flap	■	■
Stainless steel mat.no.	AISI 304	AISI 304
Cylinder lock	■	■
Width (mm)	298	298
Height (mm)	645	596
Depth (mm)	164	310
Weight (kg)	8.5	12.0
Incl. first fill	■	■

At a glance	Combinations (paper roll, waste)			
	WP 5455	WP 5456	WP 5450	WP 5451
Installation type	surface	surface	flush	flush
Contactless paper roll dispenser	■	■	■	■
Connection	230 V / 50 Hz	4 x 1.5 V batteries	230 V / 50 Hz	4 x 1.5 V batteries
Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm
TÜV/GS	■		■	
Changeable function module	■	■	■	■
Waste basket, capacity (litres)	48	48	48	48
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■
Width (mm)	448	448	448	448
Height (mm)	1348	1348	1348	1348
Depth (mm)	220	220	220	220
Weight (kg)	26.1	26.1	26.1	26.1
Incl. first fill	■	■	■	■

[illegible]



COMBINATION

 **WP 506**



COMBINATION

 **WP 550**
soap dispenser

 **WP 550e** 
sensor soap dispenser

 **WP 550-5**
foam soap dispenser



MIRROR CUPBOARD

 **WP 600**
soap dispenser

 **WP 600e** 
sensor soap dispenser

 **WP 600-5**
foam soap dispenser




MIRROR CUPBOARD

 **WP 650**
soap dispenser

 **WP 650e** 
sensor soap dispenser

 **WP 650-5**
foam soap dispenser



STAINLESS STEEL MIRROR

 **WP 601 - WP 604**



Accessories

850 ml plug-in tank
937201

Compatible dispensers see table

3 V power supply unit for
sensor soap dispenser
923060

lighting set for WP 600
727853

lighting set for WP 650
727893

-  surface
-  flush
-  A-Line
-  Sensor technology

At a glance	Combinations (soap, paper)				Mirror cupboards with integrated soap and paper dispenser					
	WP 506	WP 550	WP 550e	WP 550-5	WP 600	WP 600e	WP 600-5	WP 650	WP 650e	WP 650-5
Installation type	flush	surface	surface	surface	surface	surface	surface	surface	surface	surface
Contactless soap dispenser			■			■			■	
Capacity of soap dispenser (ml)	1000	500	500	400	950	950	400	950	950	400
Container	tank	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle	disp. bottle
Optional plug-in tank 850 ml					■	■		■	■	
Medium	soap hand lotion	soap hand lotion	soap hand lotion	foam soap concentrate	soap hand lotion	soap hand lotion	foam soap concentrate	soap hand lotion	soap hand lotion	foam soap concentrate
Fill quantity paper towels approx. (sheets)	250	500	500	500	500	500	500	750	750	750
Folded paper size approx./folding	25x23 cm, C/V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z	25x23 cm, V/Z
Optional lighting kit					■	■	■	■	■	■
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■	■	■	■	■	■	■	■	■
Width (mm)	448	400	400	400	450	450	450	600	600	600
Height (mm)	148	298	298	298	450	450	450	600	600	600
Depth (mm)	164	120	120	120	130	130	130	130	130	130
Weight (kg)	4.3	4.2	4.5	4.1	12.0	12.2	11.5	19.7	20.0	19.2
Incl. first fill	■ (paper)	■	■	■	■	■	■	■	■	■

At a glance	Stainless steel mirrors*			
	WP 601	WP 602	WP 603	WP 604
Installation type	surface	surface	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Width (mm)	600	600	800	700
Height (mm)	600	400	400	500
Weight (kg)	2.9	1.8	2.6	2.8

* Other dimensions available on request.

TAP



WA 100
Normal pressure



TAPS

_ MATERIAL: STAINLESS STEEL AISI 303

_ VARIANTS

SHORT/LONG LEVER

LOW/HIGH VERSION

NORMAL PRESSURE/LOW PRESSURE

_ HIGH QUALITY COMPONENTS

KERAMITAL® CARTRIDGE, NEOPERL® AERATOR



TAP

- **WA 100**
normal pressure
- **WA 200**
low pressure



TAP

- **WA 100-1**
normal pressure
- **WA 200-1**
low pressure



TAP

- **WA 500**
normal pressure



TAP

- **WA 110**
normal pressure
- **WA 210**
low pressure



TAP

- **WA 110-1**
normal pressure
- **WA 210-1**
low pressure



TAP

- **WA 510**
normal pressure

**washbasin**

**A-Line**


At a glance	Stainless steel taps					At a glance	Stainless steel taps				
	WA 100	WA 200	WA 100-1	WA 200-1	WA 500		WA 110	WA 210	WA 110-1	WA 210-1	WA 510
Version	normal pressure	low pressure	normal pressure	low pressure	normal pressure	Version	normal pressure	low pressure	normal pressure	low pressure	normal pressure
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303
Outlet height (mm)	84	84	84	84	92	Outlet height (mm)	198	198	198	198	201
Projection outlet (mm)	120	120	120	120	97	Projection outlet (mm)	120	120	120	120	97
Length of lever (mm)	40	40	140	140	65	Length of lever (mm)	40	40	140	140	65
Ceramic mixer cartridge	■	■	■	■	■	Ceramic mixer cartridge	■	■	■	■	■
Adjustable temperature limiter	■	■	■	■	■	Adjustable temperature limiter	■	■	■	■	■
Neoperl® aerator	■	■	■	■	■	Neoperl® aerator	■	■	■	■	■
Width (mm)/diameter	45	45	45	45	50	Width (mm)/diameter	45	45	45	45	50
Height (mm)	170	170	185	185	172	Height (mm)	283	283	283	283	281
Depth (mm)	155	155	155	155	161	Depth (mm)	155	155	185	185	161
Weight (kg)	1.8	1.9	1.9	2.0	2.2	Weight (kg)	2.0	2.2	2.2	2.3	3.1



ACCURATE INDIVIDUAL CUSTOMISED

SPECIAL DESIGNS

We can do other things, too! To supplement our standard range, we offer special customer solutions: product adaptations as well as completely new designs from one source and within a short time; from sketch to finished product – thanks to in-house design and production in Reutlingen.



SATIN GLOSSY COLOURFUL

ALTERNATIVE SURFACES

Our products have a so-called Duplo coating as a standard: they are satin finished and additionally brushed – the best possible process for an easy care, hygienic surface. Alternatively, we can also supply many products with a highly polished (mirror shine) surface or with powder coating in almost any RAL colour (4 digit code). Whatever you require to match your interior design or your wishes.





**TOILET ROLL HOLDER
FOR 4 ROLLS**

WP 163-S
3 reserve rolls

TOILET BRUSH SET

AC 261

**HYGIENE
WASTE BIN**
WP 177

TOILET FITTINGS AND ACCESSORIES

_ GOOD TO KNOW

HOLDERS AND BRUSHES

P. 98

HYGIENE AND BABY

P. 100

_ TOILET PAPER HOLDERS/DISPENSERS

CLOSED VERSION

LARGE ROLL DISPENSER,
WET WIPE DISPENSER

P. 103

_ TOILET PAPER HOLDERS

OPEN VERSION

RESERVE ROLL HOLDER

P. 104

_ BRUSH SETS

P. 105

_ HOOKS, STOPPERS & CO.

P. 106

_ PICTOGRAMS

P. 107

_ FEMALE HYGIENE

SANITARY BAG DISPENSER

P. 110

HYGIENE WASTE BIN

P. 110

_ NAPPY CHANGERS

P. 112

PAPER ROLL DISPENSER FOR NAPPY CHANGER

P. 112

NAPPY BIN

P. 113


HIDDEN
AWAY

ON
DISPLAY



CONCEALED RESERVE ROLL

reduces service work, remains hygienically concealed and drops down automatically when the other roll is finished. The empty cardboard roll remains in the unit (WP 164/167).




CLOSED HOLDER
with cover, lockable. Hygienic and with tear-off edge.

FREE
TO MOVE



OPEN HOLDER
without cover, reduced to the essentials.



LARGE SCALE DISTRIBUTION
from the WP 163-S. It offers one toilet paper roll for use and three more concealed as spares; these automatically drop down when needed.

AWAY
STORED

HOLDERS AND BRUSHES

STEADY
FAST

TOILET BRUSH SET

The brush virtually floats in the stainless steel holder which is also easy to clean.



DUAL

USE

SIGHT

OUT OF

INSERTION SLUICES

in the sanitary bins WP 177-1 and WP 179-2 discreetly conceal the contents.

BOTTOM

LESS

INTEGRATED BAG DISPENSER

Our hygiene waste bins are available with and without an integrated sanitary bag dispenser.

GENTLE

NATURE

GAS PRESSURE SPRINGS

ensure easy opening and closing of our Nappy changers.

A SMALL FOOTPRINT

is all the nappy changers need for wall fixing. They are TÜV tested and certified.

GUARDIAN

ANGEL

HYGIENE INSERT

made of plastic, with internal radii. Easy to remove from below by lifting up, for long term hygiene.

HYGIENE AND BABY

SQUEAKY

CLEAN

SURFACE

made of polypropylene, molded. It never feels cold, is free from harmful substances and can be disinfected.



TOILET ROLL HOLDER

 **WP 148**



TOILET ROLL HOLDER

 **WP 149**



TOILET ROLL HOLDER

 **WP 157**



LARGE ROLL HOLDER

 **WP 163**
1 large roll



TOILET ROLL HOLDER FOR 4 ROLLS

 **WP 163-S**
+3 reserve rolls



TOILET ROLL HOLDER

 **WP 164**
+1 reserve roll

 **WP 167**
+1 reserve roll



TOILET PAPER SINGLE SHEET DISPENSER

 **WP 169**



WET WIPE DISPENSER

 **WP 119**

Accessories

conversion kit from
WP 163 to WP 163-S
923290
For WP 163

conversion kit from
WP 163-S to WP 163
923291
For WP 163-S

 surface

 flush

 A-Line

At a glance	Toilet roll holders, closed design					At a glance	Toilet roll holders, closed design		
	WP 148	WP 149	WP 157	WP 164	WP 167		WP 163	WP 163-S	WP 169
Installation type	surface	surface	flush	surface	flush	Installation type	surface	surface	surface
No. of toilet rolls	1	2	1	1	1	No. of toilet rolls	1 large roll Ø280mm	1	500 single sheets
No. of reserve rolls				1	1	No. of reserve rolls		3	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304
Cylinder lock	■	■		■	■	Cylinder lock	■	■	■
Width (mm)	140	240	163	148	148	Width (mm)	353	353	120
Height (mm)	110	110	170	348	348	Height (mm)	350	350	298
Depth (mm)	90	90	100	150	150	Depth (mm)	120	120	120
Weight (kg)	0.7	0.9	1.0	3.9	3.9	Weight (kg)	4.8	6.2	2.5

At a glance	Wet wipe dispenser
	WP 119
Installation type	surface
Filling	1 wet wipe box
Box dimensions (mm)	165 x 78 x 121
Stainless steel mat.no.	AISI 304
Cylinder lock	
Width (mm)	172
Height (mm)	79
Depth (mm)	130
Weight (kg)	1.0



TOILET ROLL HOLDER
A LINE AC 220

TOILET ROLL HOLDER
A LINE AC 250

TOILET ROLL HOLDER
A LINE AC 252



RESERVE TOILET ROLL HOLDER
A LINE AC 222
1 roll



RESERVE TOILET ROLL HOLDER
A LINE AC 225-2
2 rolls



RESERVE TOILET ROLL HOLDER
A LINE AC 225-3
3 rolls



TOILET ROLL STORAGE CONTAINER
A LINE WP 168
5 reserve rolls



TOILET BRUSH SET
A LINE WP 161

A LINE WP 162



TOILET BRUSH SET
A LINE AC 261



TOILET BRUSH SET
A LINE AC 221
With holder

surface

flush

A

A-Line

At a glance	Toilet roll holders, open design			Reserve toilet roll holder			Reserve toilet roll container
	AC 220	AC 250	AC 252	AC 222	AC 225-2	AC 225-3	WP 168
Installation type	surface	surface	surface	surface	surface	surface	surface
No. of toilet rolls	1	1	2				
No. of reserve rolls				1	2	3	5 (4 concealed)
Bar diameter (mm)	12	12	12	12	12	12	
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 304
Concealed fixing	■	■	■	■	■	■	
Width (mm)/diameter	150	135	260	Ø 40	45	45	120
Height (mm)	92	110	110		233	333	680
Depth (mm)	44	66	66	80	110	110	130
Weight (kg)	0.4	0.4	0.8	0.2	0.7	0.8	2.5

At a glance	Brush sets			
	WP 161	WP 162	AC 261	AC 221
Installation type	flush	surface	surface	surface
Closed design	■	■		
Brush holder	stainless steel	stainless steel	stainless steel	stainless steel
Stainless steel mat.no.	AISI 304	AISI 304	AISI 303	AISI 303
Concealed fixing	■	■	■	■
Width (mm)	148	148	97	97
Height (mm)	448	448	391	422
Depth (mm)	120	120	129	129
Weight (kg)	3.5	3.5	1.3	1.5



WALL HOOK

 **AC 214**



SINGLE HOOK

 **AC 215**



DOUBLE HOOK

 **AC 216**



WALL-MOUNTED DOOR
BUFFER WITH HOOK

 **AC 217**



SOAP SHELL

 **AC 270**



ASHTRAY

 **AC 211**



WALL-MOUNTED
DOOR BUFFER

 **AC 219**



WALL-MOUNTED
DOOR BUFFER

 **AC 218**



FLOOR DOOR STOP

 **AC 228**



FLOOR DOOR STOP

 **AC 227**



MAN
PICTOGRAM

 **AC 400**
Adhesive

 **AC 401**
Screw fixing



WC
PICTOGRAM

 **AC 404**
Adhesive

 **AC 405**
Screw fixing



WOMAN
PICTOGRAM

 **AC 410**
Adhesive

 **AC 411**
Screw fixing



PAPER
PICTOGRAM

 **AC 426**
Adhesive



SOAP
PICTOGRAM

 **AC 425**
Adhesive



surface



A-Line

At a glance	Wall hooks			Wall-mounted door buffer			Floor door stops	
	AC 214	AC 215	AC 216	AC 217	AC 218	AC 219	AC 228	AC 227
Installation type	surface	surface	surface	surface	surface	surface	surface	surface
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303
Concealed fixing	■	■	■	■	■	■	■	■
Diameter	Ø 16	Ø 45	Ø 45	Ø 45	Ø 45	Ø 16	Ø 40	Ø 40
Depth (mm)	22	36	45	76	110	26	26	40
Weight (kg)	0,1	0,2	0,2	0,2	0,3	0,1	0,1	0,2

At a glance	Soap shell	Ashtray	Piktograms				
	AC 270	AC 211	AC 400/401	AC 404/405	AC 410/411	AC 425	AC 426
Installation type	surface	surface	surface	surface	surface	surface	surface
Stainless steel mat.no.	AISI 303	AISI 303	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Concealed fixing	■	■	■	■	■	■	■
Width (mm)	89	89	120	120	120	70	70
Height (mm)	45	45	135	120	135	30	30
Depth (mm)	125	125	2	2	2	0,8	0,8
Weight (kg)	0,7	0,6	0,2	0,2	0,2	0,2	0,2



TOILET ROLL HOLDER

AC 750



SINGLE HOOK

AC 715



TOILET ROLL HOLDER

PC 250



SINGLE HOOK

PC 215



RESERVE TOILET ROLL HOLDER

AC 722
1 roll



TOILET BRUSH SET

AC 761



RESERVE TOILET ROLL HOLDER

PC 222
1 roll



TOILET BRUSH SET

PC 261

surface

A-Line

surface

P-Line

At a glance	Toilet roll holder	Wall hook	Reserve toilet roll holder	Brush set	At a glance	Toilet roll holder	Wall hook	Reserve toilet roll holder	Brush set
	AC 750	AC 715	AC 722	AC 761		PC 250	PC 215	PC 222	PC 261
Installation type	surface	surface	surface	surface	Installation type	surface	surface	surface	surface
Concealed fixing	■	■	■	■	Concealed fixing				(■)
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303/304
Width (mm)/Diameter	127	60	60	113	Width (mm)/Diameter	144	Ø 45	Ø 45	110
Height (mm)	113	60	60	391	Height (mm)	107			410
Depth (mm)	25	67	128	121	Depth (mm)	36	36	80	115
Weight (kg)	0,9	0,4	0,4	1,8	Weight (kg)	0,3	0,1	0,2	1,0



SANITARY BAG STORAGE CONTAINER
WP 155

HYGIENE WASTE BIN
WP 137

HYGIENE WASTE BIN
WP 138

HYGIENE WASTE BIN
WP 140

HYGIENE WASTE BIN
WP 177

HYGIENE WASTE BIN
WP 177-1
With insertion sluice

HYGIENE WASTE BIN
WP 177-2

SANITARY BAG DISPENSER
WP 156

SANITARY BAG DISPENSER
WP 156-1

SANITARY BAG DISPENSER
WP 256

HYGIENE WASTE BIN
WP 179

HYGIENE WASTE BIN
WP 179-1
With insertion sluice

HYGIENE WASTE BIN
WP 179-2

surface

flush

A

A-Line

At a glance	Sanitary bag dispensers, sanitary bag storage containers				Sanitary bins			At a glance	Sanitary bins					
	WP 155	WP 156	WP 156-1	WP 256	WP 137	WP 138	WP 140		WP 177	WP 177-1	WP 177-2	WP 179	WP 179-1	WP 179-2
Installation type	surface	surface	surface	flush	surface	flush	surface	Installation type	surface	surface	surface	surface	surface	surface
Filling	paper sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags	paper sanitary bags	paper sanitary bags	paper sanitary bags	Filling	1 box plastic sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags			
Capacity of waste basket (litres)					5	5	12	Capacity of waste basket (litres)	5	5	12	5	5	12
With insertion sluice								With insertion sluice		■			■	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock			■	■	■	■		Cylinder lock						
Width (mm)	298	100	100	148	298	298	282	Width (mm)	220	220	300	200	200	300
Height (mm)	148	130	170	148	448	598	392	Height (mm)	250	344	398	250	344	398
Depth (mm)	100	25	25	50	120	120	203	Depth (mm)	115	115	155	115	115	155
Weight (kg)	1.3	0.5	0.6	0.9	5.0	5.9	6.7	Weight (kg)	2.7	3.7	5.6	2.4	3.5	5.5
Incl. first fill		■	■	■				Incl. first fill	■	■	■			



**NAPPY CHANGER
HORIZONTAL/HOME**
WP 2010
Flush mounting

WP 2015
Surface mounting

**NAPPY CHANGER
HORIZONTAL/PUBLIC**
WP 2210
Flush mounting

WP 2215
Surface mounting

**NAPPY CHANGER
VERTICAL/HOME**
WP 2110
Flush mounting

WP 2115
Surface mounting



**PAPER ROLL DISPENSER
FOR NAPPY CHANGER**
WP 2405



NAPPY BIN
WP 2505

surface

flush

A-Line

A-Line

At a glance	Nappy changers					
	WP 2010	WP 2015	WP 2210	WP 2215	WP 2110	WP 2115
Installation type	flush	surface	flush	surface	flush	surface
Version	horizontal	horizontal	horizontal	horizontal	vertical	vertical
Approved for private use	■	■	■	■	■	■
Approved for public areas			■	■		
Molded resting surface	■	■	■	■	■	■
Load capacity (kg)/age up to (months)	11/12	11/12	25/36	25/36	11/12	11/12
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Width (mm)	900	910	910	920	530	540
Height (mm)	566	576	747	757	936	946
Depth (mm)	135	135	155	155	135	135
Weight (kg)	25,1	25,1	32,4	31,9	26,9	26,9

At a glance	Paper roll dispenser for nappy changer
	WP 2405
Installation type	surface
Filling	from front
Fill level	1 roll
Fully welded housing	■
Cylinder lock	■
Stainless steel mat.no.	AISI 304
Width (mm)	435
Height (mm)	148
Depth (mm)	148
Weight (kg)	3.8

At a glance	Nappy bin
	WP 2505
Type of installation	floor
Consumable	standard garbage bags
Capacity of waste bin (litres)	36
With insertion sluice	■
Stainless steel mat.no.	AISI 304
Cylinder lock	■
Width (mm)	298
Height (mm)	780
Depth (mm)	310
Weight (kg)	15.0



HINGED SUPPORT RAIL



BF 670

BARRIER-FREE LIVING

_ AREAS OF APPLICATION	P. 116
_ GOOD TO KNOW	P. 118
_ TOILET AND WASHBASIN	
SUPPORT AND GRAB RAILS	P. 120
ADJUSTABLE MIRROR	P. 121

FOR

THE TOILET



AREAS OF APPLICATION



ON

THE WASHBASIN

FREE ACCESS



HINGED

support rails BF 670 offer best possible accessibility. The stainless steel joint keeps the rail in any position when it is released.



FOR YOUR SAFETY

all handles are TÜV certified to DIN EN 12182 and have a load capacity up to 125 kg.

TO TESTED

PLUS POINTS

OTHER DIMENSIONS
are available in almost all intermediate sizes upon request.




LENGTH DEPENDENT



CONCEALED FIXING

with freely rotating 8-point fixing plate and 2-component wall sealing disc. That is fast, clean, hygienic and theft resistant.

PERFECT SEATING



SUPPORT RAIL

 **BF 611**



HINGED SUPPORT RAIL

 **BF 670**



GRAB RAIL

 **BF 600**
Straight



ANGLED GRAB RAIL

 **BF 620**
90°



ANGLED GRAB RAIL

 **BF 630**
45°



ANGLED GRAB RAIL

 **BF 635**
135°



ADJUSTABLE MIRROR

 **BA 300**
angle +/- 15°



Accessories

BA 010 toilet roll holder - For (hinged) support rails - Permanently welded	BA 017 pre-installed fixing plate - For retrofitting of a (hinged) support rail	BA 063 flush device - For large and small flush volume - Compatible with 868.4 MHz systems	BA 020 flush and call devices - Compatible with 868.4 MHz radio control flush system	BA 025 call receiver - Compatible with 868.4 MHz systems	BA 250 removable back rest for toilet seat - Includes 500 mm rail - Surface made of black PU
---	--	--	---	---	--




Handles

Accessible living

At a glance	Support rails	Hinged support rails	Grab rails		Angled grab rails			Adjustable mirror
	BF 611	BF 670	BF 600		BF 620	BF 630	BF 635	BA 300
Installation type	surface	surface	surface		surface	surface	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304		AISI 304	AISI 304	AISI 304	AISI 304 polished
Length x width (mm)/weight (kg)	500 / 2.3		300 / 0.9		650x350 / 2.3	500x270 / 1.9	700x150 / 2.2	600x540x90 / 9.0
	600 / 2.6	600 / 4.9	400 / 1.0		750x350 / 2.7			angle +/- 15°
	700 / 2.9	700 / 5.2	500 / 1.3					
	850 / 3.4	850 / 5.6	600 / 1.4					
			1000 / 1.8					
Special sizes available	■	■	■		■	■	■	■
Left/right versions					■	■	■	■
Satin surface	■	■	■		■	■	■	
Textured surface	■	■	■		■	■	■	
Incl. fixing material	(optional)	(optional)	■		■	■	■	■


WAGNER-EWAR.DE



INSPIRING INFORMATIVE UP TO DATE

OUR HOMEPAGE

offers a lot: numerous solutions for your project, detailed information for each product, data sheets, BIM-data and texts for specifications, installation instructions, etc. – also for downloading. You can also find your local sales partner, the latest references and much more.



ARTICLE DIRECTORY

AC

AC 211 P. 107
AC 214 P. 106
AC 215 P. 106
AC 216 P. 106
AC 217 P. 106
AC 218 P. 106
AC 219 P. 106
AC 220 P. 104
AC 221 P. 105
AC 222 P. 104
AC 225-2..... P. 104
AC 225-3 P. 104
AC 227 P. 106
AC 228 P. 106
AC 230 P. 56
AC 231 P. 56
AC 232 P. 56
AC 250 P. 104
AC 252 P. 104
AC 261 P. 105
AC 270 P. 107
AC 400 P. 107
AC 401 P. 107
AC 404 P. 107
AC 405 P. 107
AC 410 P. 107
AC 411 P. 107
AC 425 P. 107
AC 426 P. 107
AC 715 P. 108
AC 722 P. 108
AC 750 P. 108
AC 761 P. 108

BA

BA 010..... P. 120
BA 017..... P. 120
BA 020 P. 120

BA 025 P. 121
BA 063 P. 120
BA 250 P. 121
BA 300 P. 121

BF

BF 600..... P. 120
BF 611 P. 120
BF 620..... P. 121
BF 630..... P. 121
BF 635..... P. 121
BF 670..... P. 120

PC

PC 215..... P. 109
PC 222 P. 109
PC 250 P. 109
PC 261..... P. 109

PP

PP 13 P. 55
PP 17 P. 38
PP 101 P. 38
PP 101-7..... P. 42
PP 101E-7..... P. 42
PP 102 P. 38
PP 102-7 P. 42
PP 102E-1..... P. 38
PP 102E-7 P. 42
PP 102E-7S ... P. 43
PP 103 P. 38
PP 107 P. 38
PP 108 P. 55
PP 111 P. 55

PP 113 P. 55
PP 115 P. 55
PP 126 P. 67
PP 151 P. 71
PP 152 P. 67
PP 182 P. 67

WA

WA 100 P. 90
WA 100-1 P. 90
WA 110..... P. 91
WA 110-1 P. 91
WA 200 P. 90
WA 200-1 P. 90
WA 210..... P. 91
WA 210-1 P. 91
WA 500 P. 90
WA 510..... P. 91

WH

WH 2 P. 38
WH 5 P. 55
WH 15..... P. 67

WP

WP 18 P. 68
WP 33 P. 68
WP 34 P. 68
WP 101 P. 36
WP 101-1..... P. 36
WP 101-7 P. 42
WP 101E P. 36
WP 101E-7.... P. 42
WP 102 P. 36

WP 102-1 P. 36
WP 102-7 P. 42
WP 102E..... P. 36
WP 102E-1 ... P. 36
WP 102E-7 ... P. 42
WP 102E-7S .. P. 43
WP 102E-7T .. P. 43
WP 103 P. 37
WP 105 P. 37
WP 106 P. 37
WP 107 P. 36
WP 111 P. 54
WP 112 P. 54
WP 113 P. 54
WP 114 P. 54
WP 117 P. 57
WP 118 P. 57
WP 119 P. 103
WP 120 P. 44
WP 121 P. 44
WP 122-1 P. 46
WP 122-3 P. 47
WP 123 P. 44
WP 126 P. 66
WP 130 P. 72
WP 131 P. 68
WP 133 P. 68
WP 134 P. 68
WP 135 P. 72
WP 136 P. 72
WP 137 P. 110
WP 138 P. 110
WP 139 P. 69
WP 140 P. 110
WP 145 P. 73
WP 146-1 P. 72
WP 147 P. 66
WP 148 P. 102
WP 149 P. 102
WP 150 P. 70

WP 150-1 P. 70
WP 150-2 P. 70
WP 151 P. 70
WP 151-1..... P. 70
WP 151-2..... P. 70
WP 152 P. 66
WP 154 P. 73
WP 154-1 P. 73
WP 155 P. 110
WP 156 P. 110
WP 156-1 P. 110
WP 157 P. 102
WP 158-1 P. 73
WP 159 P. 73
WP 159-1 P. 72
WP 161 P. 105
WP 162 P. 105
WP 163 P. 103
WP 163-S P. 103
WP 164 P. 102
WP 165 P. 57
WP 166 P. 57
WP 167 P. 102
WP 168 P. 105
WP 169 P. 103
WP 170 P. 57
WP 173 P. 40
WP 173-1 P. 40
WP 173-5 P. 40
WP 173-7 P. 45
WP 173E P. 40
WP 173E-1 ... P. 40
WP 173E-7 ... P. 45
WP 174 P. 41
WP 174-2 P. 41
WP 174-5 P. 41
WP 174-7 P. 45
WP 174E P. 41
WP 174E-2.... P. 41
WP 174E-7.... P. 45

WP 175 P. 56
WP 176 P. 56
WP 176-1 P. 56
WP 177 P. 111
WP 177-1..... P. 111
WP 177-2 P. 111
WP 179 P. 111
WP 179-1 P. 111
WP 179-2 P. 111
WP 180 P. 68
WP 181 P. 68
WP 183 P. 66
WP 188 P. 69
WP 189-1 P. 46
WP 189-3 P. 47
WP 190 P. 46
WP 191-1..... P. 46
WP 191-3 P. 47
WP 191-KIDS.. P. 46
WP 192-1 P. 46
WP 192-3 P. 47
WP 193 P. 46
WP 194 P. 47
WP 195 P. 47
WP 195-10 ... P. 47
WP 196 P. 71
WP 197 P. 71
WP 198 P. 69
WP 201 P. 71
WP 208 P. 37
WP 208-5 P. 37
WP 208-7 P. 44
WP 208E..... P. 37
WP 208E-7 ... P. 44
WP 256 P. 110
WP 500 P. 81
WP 500-5 P. 81
WP 500E..... P. 80
WP 501 P. 85
WP 506 P. 86

WP 510 P. 81
WP 510-5 P. 81
WP 510E..... P. 80
WP 511 P. 82
WP 520..... P. 82
WP 530..... P. 85
WP 535..... P. 85
WP 540..... P. 85
WP 545..... P. 85
WP 550..... P. 86
WP 550-5 P. 86
WP 550E..... P. 86
WP 575..... P. 39
WP 575E..... P. 39
WP 585..... P. 39
WP 585-7 P. 39
WP 585E..... P. 39
WP 585E-7 ... P. 39
WP 600..... P. 86
WP 600-5 P. 86
WP 600E..... P. 86
WP 601 P. 87
WP 602..... P. 87
WP 603..... P. 87
WP 604..... P. 87
WP 610 P. 85
WP 612 P. 85
WP 650..... P. 87
WP 650-5 P. 87
WP 650E..... P. 87
WP 1100..... P. 58
WP 1200..... P. 58
WP 1300..... P. 58
WP 1301 P. 58
WP 1310 P. 58
WP 1400..... P. 59
WP 1401 P. 59
WP 1410 P. 59
WP 1411 P. 59

WP 2010..... P. 112
WP 2015 P. 112
WP 2110 P. 112
WP 2115 P. 112
WP 2210..... P. 112
WP 2215..... P. 112
WP 2405..... P. 113
WP 2505..... P. 113
WP 5010..... P. 84
WP 5015 P. 84
WP 5110 P. 84
WP 5115 P. 84
WP 5120..... P. 84
WP 5125 P. 84
WP 5450..... P. 83
WP 5451..... P. 83
WP 5455..... P. 83
WP 5456..... P. 83

ARTICLE DIRECTORY

AC

AC 211 P. 107
AC 214 P. 106
AC 215 P. 106
AC 216 P. 106
AC 217 P. 106
AC 218 P. 106
AC 219 P. 106
AC 220 P. 104
AC 221 P. 105
AC 222 P. 104
AC 225-2..... P. 104
AC 225-3 P. 104
AC 227 P. 106
AC 228 P. 106
AC 230 P. 56
AC 231 P. 56
AC 232 P. 56
AC 250 P. 104
AC 252 P. 104
AC 261 P. 105
AC 270 P. 107
AC 400 P. 107
AC 401 P. 107
AC 404 P. 107
AC 405 P. 107
AC 410 P. 107
AC 411 P. 107
AC 425 P. 107
AC 426 P. 107
AC 715 P. 108
AC 722 P. 108
AC 750 P. 108
AC 761 P. 108

BA

BA 010..... P. 120
BA 017..... P. 120
BA 020 P. 120

BA 025 P. 121
BA 063 P. 120
BA 250 P. 121
BA 300 P. 121

BF

BF 600..... P. 120
BF 611 P. 120
BF 620..... P. 121
BF 630..... P. 121
BF 635..... P. 121
BF 670..... P. 120

PC

PC 215..... P. 109
PC 222 P. 109
PC 250 P. 109
PC 261..... P. 109

PP

PP 13 P. 55
PP 17 P. 38
PP 101 P. 38
PP 101-7..... P. 42
PP 101E-7..... P. 42
PP 102 P. 38
PP 102-7 P. 42
PP 102E-1..... P. 38
PP 102E-7 P. 42
PP 102E-7S ... P. 43
PP 103 P. 38
PP 107 P. 38
PP 108 P. 55
PP 111 P. 55

PP 113 P. 55
PP 115 P. 55
PP 126 P. 67
PP 151 P. 71
PP 152 P. 67
PP 182 P. 67

WA

WA 100 P. 90
WA 100-1 P. 90
WA 110..... P. 91
WA 110-1 P. 91
WA 200 P. 90
WA 200-1 P. 90
WA 210..... P. 91
WA 210-1 P. 91
WA 500 P. 90
WA 510..... P. 91

WH

WH 2 P. 38
WH 5 P. 55
WH 15..... P. 67

WP

WP 18 P. 68
WP 33 P. 68
WP 34 P. 68
WP 101 P. 36
WP 101-1..... P. 36
WP 101-7 P. 42
WP 101E P. 36
WP 101E-7.... P. 42
WP 102 P. 36

WP 102-1 P. 36
WP 102-7 P. 42
WP 102E..... P. 36
WP 102E-1 ... P. 36
WP 102E-7 ... P. 42
WP 102E-7S .. P. 43
WP 102E-7T .. P. 43
WP 103 P. 37
WP 105 P. 37
WP 106 P. 37
WP 107 P. 36
WP 111 P. 54
WP 112 P. 54
WP 113 P. 54
WP 114 P. 54
WP 117 P. 57
WP 118 P. 57
WP 119 P. 103
WP 120 P. 44
WP 121 P. 44
WP 122-1 P. 46
WP 122-3 P. 47
WP 123 P. 44
WP 126 P. 66
WP 130 P. 72
WP 131 P. 68
WP 133 P. 68
WP 134 P. 68
WP 135 P. 72
WP 136 P. 72
WP 137 P. 110
WP 138 P. 110
WP 139 P. 69
WP 140 P. 110
WP 145 P. 73
WP 146-1 P. 72
WP 147 P. 66
WP 148 P. 102
WP 149 P. 102
WP 150 P. 70

WP 150-1 P. 70
WP 150-2 P. 70
WP 151 P. 70
WP 151-1..... P. 70
WP 151-2..... P. 70
WP 152 P. 66
WP 154 P. 73
WP 154-1 P. 73
WP 155 P. 110
WP 156 P. 110
WP 156-1 P. 110
WP 157 P. 102
WP 158-1 P. 73
WP 159 P. 73
WP 159-1 P. 72
WP 161 P. 105
WP 162 P. 105
WP 163 P. 103
WP 163-S P. 103
WP 164 P. 102
WP 165 P. 57
WP 166 P. 57
WP 167 P. 102
WP 168 P. 105
WP 169 P. 103
WP 170 P. 57
WP 173 P. 40
WP 173-1 P. 40
WP 173-5 P. 40
WP 173-7 P. 45
WP 173E P. 40
WP 173E-1 ... P. 40
WP 173E-7 ... P. 45
WP 174 P. 41
WP 174-2 P. 41
WP 174-5 P. 41
WP 174-7 P. 45
WP 174E P. 41
WP 174E-2.... P. 41
WP 174E-7.... P. 45

WP 175 P. 56
WP 176 P. 56
WP 176-1 P. 56
WP 177 P. 111
WP 177-1..... P. 111
WP 177-2 P. 111
WP 179 P. 111
WP 179-1 P. 111
WP 179-2 P. 111
WP 180 P. 68
WP 181 P. 68
WP 183 P. 66
WP 188 P. 69
WP 189-1 P. 46
WP 189-3 P. 47
WP 190 P. 46
WP 191-1..... P. 46
WP 191-3 P. 47
WP 191-KIDS.. P. 46
WP 192-1 P. 46
WP 192-3 P. 47
WP 193 P. 46
WP 194 P. 47
WP 195 P. 47
WP 195-10 ... P. 47
WP 196 P. 71
WP 197 P. 71
WP 198 P. 69
WP 201 P. 71
WP 208 P. 37
WP 208-5 P. 37
WP 208-7 P. 44
WP 208E..... P. 37
WP 208E-7 ... P. 44
WP 256 P. 110
WP 500 P. 81
WP 500-5 P. 81
WP 500E..... P. 80
WP 501 P. 85
WP 506 P. 86

WP 510 P. 81
WP 510-5 P. 81
WP 510E..... P. 80
WP 511 P. 82
WP 520 P. 82
WP 530 P. 85
WP 535 P. 85
WP 540 P. 85
WP 545 P. 85
WP 550 P. 86
WP 550-5 P. 86
WP 550E..... P. 86
WP 575 P. 39
WP 575E..... P. 39
WP 585 P. 39
WP 585-7 P. 39
WP 585E..... P. 39
WP 585E-7 ... P. 39
WP 600 P. 86
WP 600-5 P. 86
WP 600E..... P. 86
WP 601 P. 87
WP 602 P. 87
WP 603 P. 87
WP 604 P. 87
WP 610 P. 85
WP 612 P. 85
WP 650 P. 87
WP 650-5 P. 87
WP 650E..... P. 87
WP 1100 P. 58
WP 1200 P. 58
WP 1300 P. 58
WP 1301 P. 58
WP 1310 P. 58
WP 1400 P. 59
WP 1401 P. 59
WP 1410 P. 59
WP 1411 P. 59

WP 2010 P. 112
WP 2015 P. 112
WP 2110 P. 113
WP 2115 P. 113
WP 2405 P. 112
WP 2505 P. 113
WP 5010 P. 84
WP 5015 P. 84
WP 5110 P. 84
WP 5115 P. 84
WP 5120 P. 84
WP 5125 P. 84
WP 5450 P. 83
WP 5451 P. 83
WP 5455 P. 83
WP 5456 P. 83

CONTACT CONSULTATION SAMPLES

PLEASE CONTACT US

If you require further information, we are happy to advise you over the phone or on site. We can also send you product samples or further documents. We are looking forward to hearing from you!
